NEWS RELEASE



HONMA – Passion for a New Challenge.

For those aiming to improve their scores.

"Be ZEAL 525 Left-Handed model" Launches in March



HONMA GOLF Co., Ltd. (head office: Roppongi Hills Mori Tower 35F, 6-10-1 Roppongi, Minato-ku, Tokyo; representative director & president: Yasuki Ito) has released the "Be ZEAL 525 Left-Handed" model for serious golfers.

"Be ZEAL" means "Be zealous for golf!" By making full use of HONMA's product development power, which has been cultivated by Team HONMA's strict commitment, we developed the "Be ZEAL 525 Left-Handed" model for average serious golfers aiming to improve their scores.

Since its 2016 launch, the "Be ZEAL 525" series has been very popular among serious players, yielding long carry distance and increased accuracy. The ladies model was subsequently released and also received a favorable reception. As a result of its success, we have released the "Be ZEAL 525 Left-Handed" model and now offer a complete lineup for every serious golfer.

HONMA will continue enhancing potential for all golfers seeking to lower their scores.



DRIVER

[Product summary]

Model Name : Be ZEAL 525 Left-Handed model DRIVER

Head Material / Manufacturing process : 811 titanium / Casting Face Material / Manufacturing process : 6-4 titanium / Rolled

Country of origin : Japan Release date : March, 2017









N	umber	1W				
Lo	ft (deg.)	10.5				
Lie a	ngle (deg.)	59.5				
Head v	olume (cm³)	460				
Leng	th (inches)	45.75				
Swing weight • Total weight (g)		R	D1 · 292			
	VIZARD for Be ZEAL	SR	D2 · 295			
		S	D2 · 297			

^{*}There is no 1 W / 9.5 ° available in the Left-Handed model.

F W

[Product summary]

Model Name

Head Material / Manufacturing process

Face Material / Manufacturing process

Country of origin

Release date

: Be ZEAL 525 Left-Handed model FW

: SUS630 / Casting

: High-strength custom steel / Rolled

: Japan

: March,2017





Num	ber		3W		5W				
Loft (d	deg.)		15		18				
Lie angle	e (deg.)		59.0		59.5				
Head volu	me (cm³)		195		180				
Length (inches)			43.0		42.5				
Swing weight • Total weight (g)	VIZARD for Be ZEAL	R	SR	S	R	SR	S		
		D0 · 308	D1 · 311	D1 · 313	D0 · 312	D1 · 315	D1 · 317		

[%]There is no 7 W / 21 ° available in the Left-Handed model.

UT

[Product summary]

Model Name : Be ZEAL 525 Left-Handed model UT

Head Material / Manufacturing process : SUS630 / Casting

Face Material / Manufacturing process : High-strength custom steel / Rolled

Country of origin : Japan

Release date : March, 2017





Num	ber		U22		U25				
Loft (d	deg.)		22		25				
Lie angle	e (deg.)	60.0							
Head volume (cm ³)		135							
Length (inches)			40.0		39.5				
Swing weight · Total weight (g)	VIZARD for Be ZEAL	R	SR	S	R	SR	S		
		D0 · 332	D1 · 335	D1 · 33	7 D0 · 336	D1 · 339	D1 · 341		

^{**}There is no U19/19° available in the Left-Handed model.

IRON

[Product summary]

Model Name

Head Material / Manufacturing process Face Material / Manufacturing process

Finish

Country of origin Release date

: Be ZEAL 525 Left-Handed model IRON

: SUS630 / Casting

: 6-4 titanium / Rolled

: Satin finish / polished + painted finish

: Japan

: March,2017









Number		5	6	7	8	9	10	11	AW	SW	
Loft (deg.)		22.5	25.5	28.5	32.5	36.5	41.5	46.5	51.5	56.0	
Lie angle(deg.)		61.0	61.5	62.0	62.5	63.0	63.0	63.0	63.0	63.5	
Length (Inches)	VIZARD for Be ZEAL		38.0	37.5	37.0	36.5	36.0	35.5	35.0	35.0	35.0
	N.S.PRO 950GH		37.75	37.25	36.75	36.25	35.75	35.25	35.0	35.0	35.0
Swing weight • Total weight (g)	VIZARD for Be ZEAL	R	C9·358	C9·364	C9·370	C9·377	C9·384	C9·390	C9·396	C9·396	D0 · 398
		SR	D0 · 362	D0·368	D0·374	D0 · 381	D0 · 388	D0 · 394	D0 • 400	D0 · 400	D1 · 402
		S	D0 · 363	D0·369	D0·375	D0 · 382	D0 · 389	D0 · 395	D0 • 401	D0 · 401	D1 · 403
	N.S.PRO 950GH	R	D1 · 396	D1 • 402	D1 • 409	D1 • 416	D1 • 423	D1 • 431	D1 • 434	D1 • 434	D2 · 436
		S	D2 · 401	D2·407	D2·414	D2 · 421	D2 · 428	D2 · 436	D2 · 439	D2 · 439	D3 • 441

[※] There is no #4 iron available in the Left-Handed model.

Conforming to 2010 New Groove Rules

